

SAFETY JOGGER

INDUSTRIAL



best price
best quality
always in stock



11.2019

FOOD

COLLECTION 2019



HYGIENEPARTNER.nl
BRILLIANT

WWW.SAFETYJOGGER.COM

INDEX



W410 S2

S2 / SRC
P.4



W150 SB

SB / AE SRC ESD
P.17



W310 S2

S2 / SRC
P.5



DOLCE S3

S3 / SRC
P.18



W400 S2

S2 / SRC
P.6



X0600 S3

S3 / SRC
P.19



W300 S2

S2 / SRC
P.7



BRIO S2

S2 / SRC ESD
P.20



LUNGO81 S3

S3 / SRC
P.8



W420 S2

S2
P.22



GUSTO81 S3

S3 / SRC
P.9



W330 S2

S2
P.23



DOLCE81 S3

S3 / SRC
P.10



GUSTO S2

S2 / SRC
P.24



VOLLUTO81 S3

S3 / SRC
P.12



X0500 S2

S2 / SRC
P.25



ROMA81 S3

S3 / SRC
P.14



CORTADO SB

SB / SRC
P.26



W112 SB

SB / AE SRC ESD
P.16



POSEIDON S4

S4 / SRA
P.27



LORICA®

A shoe for the food industry has to meet specific standards of safety and hygiene. The upper of the W-CLASS comfort is made out of exclusive Lorica®. This high-tech material protects effectively against animal fats, oils, petrol, disinfectants and a variety of chemicals. Sustainable designing, we made as little stitches as possible, making it easier to clean the shoes. The W-Class comfort has a composite toe cap, wide fit and is 100% metal-free. Because of the double density PU sole, the W-CLASS comfort is particularly slip-resistant, and the sole profile is tested in industrial cleaning equipment.



W410 S2

S2 / SRC

Size Range:

EU		36 - 48
UK		3.5 - 13
US		4 - 13.5
CM		23.5 - 31.5



WHT

4

White mid-cut safety shoe, designed for the food industry

Product features

Upper	Lorica®
Sole	PU/PU
Toecap	Composite
Midsole	-
Lining	Three dimensional, breathable
Insole	MAX-3Fit®
Category	S2 / SRC
Weight	540 gr. / 1.19 lb



W310 S2

S2 / SRC

Size Range:

EU		36 - 48
UK		3.5 - 13
US		4 - 13.5
CM		23.5 - 31.5



WHT

5

White low-cut safety shoe, designed for the food industry

Product features

Upper	Lorica*
Sole	PU/PU
Toecap	Composite
Midsole	-
Lining	Three dimensional, breathable
Insole	MAX-3Fit*
Category	S2 / SRC
Weight	490 gr. / 1.08 lb



MAX-3FIT* SYSTEM

W400 S2

S2 / SRC

Size Range:

EU	36 - 48
UK	3.5 - 13
US	4 - 13.5
CM	23.5 - 31.5



WHT

6

White mid-cut safety shoe, designed for the food industry

Product features

Upper	Lorica®
Sole	PU/PU
Toecap	Composite
Midsole	-
Lining	Three dimensional, breathable
Insole	MAX-3Fit®
Category	S2 / SRC
Weight	540 gr. / 1.19 lb



MAX-3FIT® SYSTEM

W300 S2

S2 / SRC

Size Range:

EU		36 - 48
UK		3.5 - 13
US		4 - 13.5
CM		23.5 - 31.5



WHT

7

White low-cut safety shoe, designed for the food industry

Product features

Upper	Lorica®
Sole	PU/PU
Toecap	Composite
Midsole	-
Lining	Three dimensional, breathable
Insole	MAX-3Fit®
Category	S2 / SRC
Weight	490 gr. / 1.08 lb



MAX-3FIT® SYSTEM

LUNG081 S3

S3 / SRC

Size Range:

EU	35 - 48
UK	3 - 13
US	3 - 13.5
CM	23 - 31.5



WHT

Mid-cut safety shoe with zone traction and tripguard

Product features

Upper	Leather
Sole	PU/rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC
Weight	725 gr. / 1.6 lb



GUST081 S3

S3 / SRC

Size Range:

EU	35 - 48
UK	3 - 13
US	3 - 13.5
CM	23 - 31.5



WHT

9

White safety shoe with zone traction and tripguard

Product features

Upper	Leather
Sole	PU/rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC
Weight	691 gr. / 1.52 lb



DOLCE81 S3

S3 / SRC

Size Range:

EU	35 - 48
UK	3 - 13
US	3 - 13.5
CM	23 - 31.5



BLK

10

Black safety shoe with zone traction and tripguard

Product features

Upper	Leather
Sole	PU/rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC
Weight	691 gr. / 1.52 lb





DOLCE81 S3

S3 / SRC

VOLLUT081 S3

S3 / SRC

Size Range:

EU	35 - 48
UK	3 - 13
US	3 - 13.5
CM	23 - 31.5



WHT

12

White low-cut safety shoe with zone traction and tripguard

Product features

Upper	Leather
Sole	PU/rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC
Weight	718 gr. / 1.58 lb





VOLLUTO S3

S3 / SRC



The Safety Jogger range featuring **High performance traction**

All safety shoes at SAFETY JOGGER Traction by SHOES FOR CREWS features effective Slip Resistance. Getting home safe starts with staying on your feet. Exclusive Slip Resistant technology from SFC provides the traction you need to stay safe.

ROMA81 S3

S3 / SRC

Size Range:

EU	35 - 48
UK	3 - 13
US	3 - 13.5
CM	23 - 31.5



BLK

14

Black low-cut safety shoe with zone traction and tripguard

Product features

Upper	Leather
Sole	PU/rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC
Weight	718 gr. / 1.58 lb





ROMA81 S3

S3 / SRC

W112 SB

SB / AE SRC ESD

Size Range:

EU | 35 - 48

UK | 3 - 13

US | 3 - 13.5

CM | 23 - 31.5



WHT

16

Fashionable white safety clog

Product features

Upper	Lorica®
Sole	PU
Toecap	Composite
Midsole	-
Lining	Three dimensional, breathable
Insole	MAX-3Fit®
Category	SB / AE SRC ESD
Weight	420 gr. / 0.93 lb



EXCLUSIVE
LORICA

100%
VEGAN

HACCP

MAX-3FIT™ SYSTEM

W150 SB

SB / AE SRC ESD

Size Range:

EU	35 - 48
UK	3 - 13
US	3 - 13.5
CM	23 - 31.5



BLK

17

Fashionable black safety clog

Product features

Upper	Lorica®
Sole	PU
Toecap	Composite
Midsole	-
Lining	Three dimensional, breathable
Insole	MAX-3Fit®
Category	SB / AE SRC ESD
Weight	420 gr. / 0.93 lb



EXCLUSIVE
LORICA

100%
VEGAN

HACCP

MAX-3FIT® SYSTEM

DOLCE S3

S3 / SRC

Size Range:

EU | 35 - 47

UK | 3 - 12

US | 3 - 13

CM | 23 - 31



BLK

18

Fashionable black safety shoe designed for the food industry

Product features

Upper	Leather
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Weight	520 gr. / 1.15 lb



X0600 S3

S3 / SRC

Size Range:

EU | 36 - 47

UK | 3.5 - 12

US | 4 - 13

CM | 23.5 - 31



BLK

19

Black safety shoe designed for the food industry

Product features

Upper	Leather
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Nylon
Insole	Premoulded
Category	S3 / SRC
Weight	560 gr. / 1.23 lb



BRIO S2

S2 / SRC ESD

Size Range:

EU | 36 - 47

UK | 3.5 - 12

US | 4 - 13

CM | 23.5 - 31



WHT

20

White low-cut safety shoe designed for the food industry

Product features

Upper	Leather
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	-
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S2 / SRC ESD
Weight	425 gr. / 0.94 lb





BRIO S2

S2 / SRC ESD

W420 S2

S2

Size Range:

EU | 36 - 47

UK | 3.5 - 12

US | 4 - 13

CM | 23.5 - 31



WHT

22

White mid-cut safety shoe designed for the food industry

Product features

Upper Breathable MAX-Microtec

Sole PU

Toecap Steel

Midsole -

Lining Breathable textile

Insole Antibacterial, replaceable

Category S2

Weight 540 gr. / 1.19 lb



W330 S2

S2

Size Range:

EU	36 - 47
UK	3.5 - 12
US	4 - 13
CM	23.5 - 31



WHT

23

White low-cut, vegan safety shoe

Product features

Upper	Breathable MAX-Microtec
Sole	PU/PU
Toecap	Steel
Midsole	-
Lining	Mesh
Insole	Antibacterial, replaceable
Category	S2
Weight	490 gr. / 1.08 lb



GUSTO S2

S2 / SRC

Size Range:

EU | 35 - 47

UK | 3 - 12

US | 3 - 13

CM | 23 - 31



WHT

Fashionable white safety shoe designed for the food industry

Product features

Upper	Leather
Sole	PU/PU
Toecap	Steel
Midsole	-
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S2 / SRC
Weight	500 gr. / 1.1 lb



X0500 S2

S2 / SRC

Size Range:

EU | 36 - 47

UK | 3.5 - 12

US | 4 - 13

CM | 23.5 - 31



WHT

25

White safety shoe designed for the food industry

Product features

Upper	Leather
Sole	PU/PU
Toecap	Steel
Midsole	-
Lining	Nylon
Insole	Soft Impact Foam
Category	S2 / SRC
Weight	540 gr. / 1.19 lb



CORTADO **SB**

SB / SRC

Size Range:

EU | 35 - 47

UK | 3 - 12

US | 3 - 13

CM | 23 - 31



WHT

Fashionable white safety clog with back strap

Product features

Upper	Leather
Sole	PU/PU
Toecap	Steel
Midsole	-
Lining	Mesh
Insole	Soft Impact Foam
Category	SB / SRC
Weight	530 gr. / 1.17 lb



POSEIDON S4

S4 / SRA

Size Range:

EU | 36 - 47

UK | 3.5 - 12

US | 4 - 13

CM | 23.5 - 31



WHT

27

White safety boot with PVC outsole

Product features

Upper	PVC
Sole	PVC
Toecap	Steel
Midsole	-
Lining	Textile
Insole	-
Category	S4 / SRA
Weight	1120 gr. / 2.47 lb



SAFETY JOGGER

WORKS

EUROPE

Meersbloem Melden 42
9700 Oudenaarde
Belgium

Phone: (32) 55 33 44 44
info@safetyjogger.com

CHINA

Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)

广东省东莞市望牛墩镇潢沥村牛顿工业区
二楼直销部 (邮编523216)

Phone: (86) 769 3901 8500
safetyjogger@cortinachina.com

RUSSIA

Невский проспект 55 А
191025 Санкт-Петербург
Россия

Телефон: 7 (812) 313 92 96
info@safetyjogger.com

UNITED STATES

Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

Phone: 1-877-669-9727
info@fitronamericas.com



Brilliant Group B.V.

Typograaf 8
6921 VB Duiven

W: www.hygienepartner.nl

E: info@hygienepartner.nl

T: 026 - 3190 590

INDUSTRIAL PROFESSIONAL TACTICAL

WWW.SAFETYJOGGER.COM

**ENGINEERED
IN EUROPE**